

MARKFED CANNERIES, VILLAGE CHUHARWALI DISTT. JALANDHAR

TERMS & CONDITIONS FOR e-TENDER FOR PURCHASE OF CARTONS.

Short Term E-TENDER No. MC/2020/12

Markfed Canneries, Village Chuharwali, Tehsil, Adampur, Distt. Jalandhar (A unit of The Punjab State Cooperative Supply & Marketing Federation Limited) regarded as Asia's one of the largest marketing cooperative institution in the agro food sector is in the process for purchase of CARTONS. The Tender shall be opened as per schedule given below in the office of Manager Markfed Canneries, Village Chuharwali, Tehsil, Adampur, Distt. Jalandhar. In case of holiday the tender shall be opened on next working day without giving any further notice. Complete tender including earnest money shall be accepted online only. The tender shall be opened in the presence of parties, who may wish to be present. For participating in the tender, the parties shall have to get themselves registered with <http://eproc.punjab.gov.in> and get the user ID, password and Class 3 Digital Signatures.

Sr. No.	Name of the items.	Tender Form Fee	processing Fee	Earnest Money
1.	Purchase of different type of Cartons as per Annexures attached The rates should be quoted F.O.R. Markfed Canneries, Village:Chuharwali, Tehsil Adampur, Distt. Jalandhar and GST/ all taxes and levies extra as applicable.	Rs 590/- (Incl. GST)	As per E-Tender Website	10,000/-

Schedule Time

Items on Sr. no.	Last date & time For submission Of online Tender.	Date & time For opening Of Technical Bid.
1	On or Before 18-01-2021 up to 12.30 pm.	19-01-2021 11.30am.

The tender is invited for purchase of Cartons.

The tender shall be received as per two bid system i.e. TECHNICAL BID & FINANCIAL BID. Technical bid shall be opened first to evaluate the eligibility by the committee. The Financial

bid shall be opened only of those parties who shall be successfully qualified in the technical bid.

1. The rates of Cartons should quoted and supplied as per specifications enclosed with the tender form for different items.
2. Cartons should be bottom stitched full fabricated packed in bundles in equal numbers.
3. Unloading of Cartons and stacking will be done by the supplier in our godown at the their cost.
4. The tender shall be of two stages i.e. Technical and Financial Bid. The financial bid of the only successful bidders of technical bid shall be opened. The tenderer who shall not qualify in the technical bid his tender will be out rightly rejected.
5. **RATE :-** Rates will be quoted per cartons F.O.R at our plant at village Chuharwali, Tehsil Adampur, Distt.Jalandhar including un-loading at our factory and **inclusive of Freight, Loading, Unloading. However GST shall be paid extra.**
6. **EARNEST MONEY:** The earnest money of Rs.10,000/- should be deposited online only. Tenders without earnest money are liable to be rejected.
7. **DELIVERY SCHEDULE**

Supplies will be made strictly as per our delivery schedule given by Markfed in the purchase order as per actual requirements from time to time. Delivery schedule can also be changed by Markfed at any time as per our actual requirement.

The rates will be quoted in per Carton.

The ordered quantity can be increase or decrease as per our actual requirements for which the supplier shall have no objection.

8. INSPECTION/TESTING OF CARTONS

Samples will be drawn from each and every consignment by the committee constituted by Markfed in the presence of the representative of the supplier/party if present, and will sent to the Markfed Testing Lab. Mohli for testing and test will be conducted by Markfed Lab. under the procedure/method in vogue. Results so conveyed by the Markfed lab. will be binding on both the parties. In case the quality of the cartons are not found as per specifications but are in permissible limit the quality cut will be imposed as per the Annexure 1 to 13 enclosed. Beyond permissible limit the cartons will be rejected and the supplier has to lift back the same immediately at their own risk & cost. In case of failure to lift the same within 7 days the storage charges @ 2/- paise per carton per day.

9. PAYMENT CONDITIONS

Payment will be made through R.T.G.S. only within thirty days of receipt of each consignment subject to satisfactory inspection report. Supplier should provide complete bank details along with bank account no., I.F.S.C. code etc. Supplier should also provide self attested copies of Pan no. & GST No.

10. SECURITY

The successful tenderer will have to deposit security amount of Rs.50,000/-within seven days from the acceptance of his offer, which will be retained by Markfed till the completion of the contract period will

not carry any interest. The earnest money of Rs.10,000/- can be adjusted by the successful tenderer while depositing the security. This security amount shall be liable to be forfeited in case of non-execution of this contract.

11. RISK PURCHASE

In the event of failure to supply the goods as per our specifications or as per our given delivery schedule, Markfed reserve the right to purchase the goods/material from the open market at the risk and cost of the supplier with due notice. The difference of amount excess paid shall be recovered from his pending bills/security.

12. VALIDITY OF OFFER

This offer will be valid for 30 days from the date of opening of tender and period of contract is w.e.f. 01-02-2021 to 31-01-2022. Markfed reserve the right to extend this contract for another three months i.e. up to 30-04-2022 on the same rate and term & conditions for which the supplier shall have no objection.

13. GST .

The supplier shall deposit the GST and should specifically mention in the invoice. The payment of GST amount shall be released to the contractor only when the input credit is made available in the GST Portal to the Markfed.

14. OTHER CONDITIONS.

The bidder shall sign on all the pages of these terms & conditions in view of having acceptance of the same and submit the scan copy of the same online. The successful tenderer shall submit the hard copy of the signed Terms & Conditions in the office of Manager Markfed Canneries, Village: Chuharwali, Tehsil: Adampur, Distt.: Jalandhar on demand by the plant committee. The tenderer shall also give his complete postal address with seal and mobile no.

Successful tenderer shall execute an agreement with Markfed Canneries on non judicial Stamp Paper.

The violation of any terms & conditions of this contract shall result in the forfeiture of security and payable bills of the supplier.

Conditional tenders shall not be considered.

If the date of opening of tender happens to be holiday then the tender will be opened on the next working day without giving any separate notice.

Corrigendum/addendum/corrections if any will be published on the website.

Markfed will not be responsible if the tenderer/vender is unable to upload/submit the tender online due to any fault or malfunctioning of the internet/e-tender site.

Markfed reserves the right to accept/reject any or all tenders without assigning reasons.

The Party shall submit attested copies of following documents online and successful tenderer shall submit original copies of these documents on demand for verification by the plant committee.

Sr.No.	Particulars	Remarks
1.	Name and complete address of the firm with mobile no.	Attach proof.
2.	Detail of Earnest Money Deposited.	Attach proof.
3.	Attach scanned copy of Terms & Conditions of Tender duly signed by the bidder on all pages.	Attach copy.
4.	Proof of the own Manufacturing unit.	Attach proof.
5.	Attach attested copies of PAN & GST NO.	Attach copy.
6.	Power of attorney in favour of the authorized person to sign the tender documents.	Attach copy.
7.	An undertaking on the letter head of the bidder stating that party has no dispute with Markfed/State Govt./Central Govt.	Attach copy.

15. ARBITRATION CLAUSE

In case of any dispute arising out of this contract, the same shall be referred to and determined by arbitration as per the Arbitration and Conciliation Act, 1996, as amended from time to time. Unless, otherwise provided, all disputes or differences between the parties, shall be referred to an Arbitral Tribunal comprising of three members, wherein one arbitrator shall be nominated by M.D., Markfed and one shall be appointed by the opposite party, the third arbitrator shall be jointly appointed by the nominated arbitrators. The award of such arbitration shall be final and binding on the parties to this contract. The courts at the place of signing the contract shall have exclusive jurisdiction. Arbitration proceedings shall be conducted at Chandigarh according to Indian Laws for the time being in force. The Arbitration

fees will be paid in equal share by both the parties to the Arbitral Tribunal at rates fixed in the Arbitration and Conciliation Act 1996 (as amended from time to time).

I/we have read and understood all the Terms & conditions of the bid and all the Terms & conditions are accepted to me/us. I shall abide by the same.

Signature _____

Name and address of the party with Stamp _____

Ph./Mobile No _____

Email Address: _____

ANNEXURE-1

MARKFED CANNERIES, VILLAGE CHUHARWALI DISTT. JALANDHAR

SPECIFICATIONS For Sarson Ka Sag/Ethenic Food Cartons (450Gm).

Sr. No.	Parameter.	Specifications.	Contribution	Quality Cut
1.	Ply.	5 Ply cartons duly Printed in two colours.	100%	Rejection if do not conform.
2.	Dimensions.	480X320X120mm internal± 5mm for individual dimension.	100%	Rejection if do not conform.
3.	Partition.	5 Ply to accommodate 24cans of A-1 Tall cans of 450gm. The size should be matching with internal dimensions.	100%	Rejection if do not conform.
4.	Plates.	2(5 Ply) Top & Bottom.Size suitable to cover the gap.	100%	Rejection if do not conform.
5.	Bursting Strength.	Min.12Kg/Cm ² .	50%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
6.	Box compression Strength.	Min.350Kg.	20%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
7.	Flute Status.	Type B No. Min. 50-56/30cm.	100% 5%	Rejection if do not conform. Prorate Cut.
8.	Lap Width.	Min. 30mm.	10%	Prorate Cut.
9.	No.of staples.	6 (3 pairs).	10%	Prorate Cut.
10.	Flap Bend Test.	The Flap of the carton should not crack when bent through 90° inside and then out side.	5%	Prorate Cut.
11.	Adhesive.	Sodium Silicate (Highly Alkaline) adhesive not to be used.	100%	Rejection if do not conform.
12.	Bottom.	Cartons should be bottom stitched.	100%	Rejection if do not conform.

ANNEXURE-11

MARKFED CANNERIES, VILLAGE CHUHARWALI DISTT. JALANDHAR

SPECIFICATIONS For Tomato Ketchup/Tomato Puree (1KG) cartons.

Sr. No.	Parameter.	Specifications.	Contribution	Quality Cut
1.	Ply.	5 Ply cartons duly Printed in Single colour.	100%	Rejection if do not conform.
2.	Dimensions.	345X270X282mm internal± 5mm for individual dimension.	100%	Rejection if do not conform.
3.	Partition.	3 Ply to accommodate 12Bottles of 1kg Tomato Ketchup and matching with internal dimensions carton.	100%	Rejection if do not conform.
4.	Plates.	2(3 Ply) Top & Bottom.Top Plate should have 12 Holes.	100%	Rejection if do not conform.
5.	Bursting Strength.	Min.10Kg/Cm ² .	50%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
6.	Box compression Strength.	Min.250Kg.	20%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
7.	Flute Status.	Type B No. Min. 50-56/30cm.	100% 5%	Rejection if do not conform. Prorate Cut.
8.	Lap Width.	Min. 30mm.	10%	Prorate Cut.
9.	No.of staples.	8 (4 pairs).	10%	Prorate Cut.
10.	Flap Bend Test.	The Flap of the carton should not crack when bent through 90° inside and then out side.	5%	Prorate Cut.
11.	Adhesive.	Sodium Silicate (Highly Alkaline) adhesive not to be used.	100%	Rejection if do not conform.
12.	Bottom.	Cartons should be bottom stitched.	100%	Rejection if do not conform.

ANNEXURE-1II

MARKFED CANNERIES, VILLAGE CHUHARWALI DISTT. JALANDHAR

SPECIFICATIONS For Tomato Ketchup (500GM) cartons.

Sr. No.	Parameter.	Specifications.	Contribution	Quality Cut
1.	Ply.	5 Ply cartons duly Printed in Single colour.	100%	Rejection if do not conform.
2.	Dimensions.	300X225X230mm internal± 5mm for individual dimension.	100%	Rejection if do not conform.
3.	Partition.	3 Ply to accommodate 12Bottles of 500gm Tomato Ketchup and matching with internal dimensions of Carton.	100%	Rejection if do not conform.
4.	Plates.	2(3 Ply) Top & Bottom.Top Plate should have 12 Holes.	100%	Rejection if do not conform.
5.	Bursting Strength.	Min.8Kg/Cm ² .	50%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
6.	Box compression Strength.	Min.200Kg.	20%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
7.	Flute Status.	Type B No. Min. 50-56/30cm.	100% 5%	Rejection if do not conform. Prorate Cut.
8.	Lap Width.	Min. 30mm.	10%	Prorate Cut.
9.	No.of staples.	8 (4 pairs).	10%	Prorate Cut.
10.	Flap Bend Test.	The Flap of the carton should not crack when bent through 90° inside and then out side.	5%	Prorate Cut.
11.	Adhesive.	Sodium Silicate (Highly Alkaline) adhesive not to be used.	100%	Rejection if do not conform.
12.	Bottom.	Cartons should be bottom stitched.	100%	Rejection if do not conform.

ANNEXURE-1V

MARKFED CANNERIES, VILLAGE CHUHARWALI DISTT. JALANDHAR

Specifications for Vinegar/Gulab Sharbat/Drinks Cartons (650ML to 750ML).

Sr. No.	Parameter.	Specifications.	Contribution	Quality Cut
1.	Ply.	5 Ply cartons duly Printed in Single colour.	100%	Rejection if do not conform.
2.	Dimensions.	320X245X280mm internal± 5mm for individual dimension.	100%	Rejection if do not conform.
3.	Partition.	3 Ply to accommodate 12Bottles of Vinegar/G.Sharbat and matching with internal dimensions of Carton.	100%	Rejection if do not conform.
4.	Plates.	2(3 Ply) Top & Bottom.Top Plate should have 12 Holes.	100%	Rejection if do not conform.
5.	Bursting Strength.	Min.10Kg/Cm ² .	50%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
6.	Box compression Strength.	Min.250Kg.	20%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
7.	Flute Status.	Type B No. Min. 50-56/30cm.	100% 5%	Rejection if do not conform. Prorate Cut.
8.	Lap Width.	Min. 30mm.	10%	Prorate Cut.
9.	No.of staples.	8 (4 pairs).	10%	Prorate Cut.
10.	Flap Bend Test.	The Flap of the carton should not crack when bent through 90° inside and then out side.	5%	Prorate Cut.
11.	Adhesive.	Sodium Silicate (Highly Alkaline) adhesive not to be used.	100%	Rejection if do not conform.
12.	Bottom.	Cartons should be bottom stitched.	100%	Rejection if do not conform.

ANNEXURE-V

MARKFED CANNERIES, VILLAGE CHUHARWALI DISTT. JALANDHAR

SPECIFICATIONS For Jam/Honey/Chuttney (Glass Bottles 500GM) Cartons.

Sr. No.	Parameter.	Specifications.	Contribution	Quality Cut
1.	Ply.	5 Ply cartons duly Printed in Single colour.	100%	Rejection if do not conform.
2.	Dimensions.	300X230X140mm internal± 5mm for individual dimension.	100%	Rejection if do not conform.
3.	Partition.	3 Ply to accommodate 12Bottles of Jam and matching with internal dimensions of Carton.	100%	Rejection if do not conform.
4.	Plates.	2(3 Ply) Top & Bottom..	100%	Rejection if do not conform.
5.	Bursting Strength.	Min.8Kg/Cm ² .	50%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
6.	Box compression Strength.	Min.150Kg.	20%	Prorate cut if ≥ 90%. Double Prorate t if 85% - 90%. Rejection if < 85%
7.	Flute Status.	Type B No. Min. 50-56/30cm.	100% 5%	Rejection if do not conform. Prorate Cut.
8.	Lap Width.	Min. 30mm.	10%	Prorate Cut.
9.	No.of staples.	6 (3 pairs).	10%	Prorate Cut.
10.	Flap Bend Test.	The Flap of the carton should not crack when bent through 90° inside and then out side.	5%	Prorate Cut.
11.	Adhesive.	Sodium Silicate (Highly Alkaline) adhesive not to be used.	100%	Rejection if do not conform.
12.	Bottom.	Cartons should be bottom stitched.	100%	Rejection if do not conform.

ANNEXURE-VI

MARKFED CANNERIES, VILLAGE CHUHARWALI DISTT. JALANDHAR

SPECIFICATIONS For Honey (1KG) Cartons.

Sr. No.	Parameter.	Specifications.	Contribution	Quality Cut
1.	Ply.	5 Ply cartons duly Printed in Single colour.	100%	Rejection if do not conform.
2.	Dimensions.	360X280X170mm internal± 5mm for individual dimension.	100%	Rejection if do not conform.
3.	Partition.	3 Ply to accommodate 12Bottles of Honey 1kg and matching with internal dimensions of Carton.	100%	Rejection if do not conform.
4.	Plates.	2(3 Ply) Top & Bottom..	100%	Rejection if do not conform.
5.	Bursting Strength.	Min.10Kg/Cm ² .	50%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
6.	Box compression Strength.	Min.250Kg.	20%	Prorate cut if ≥ 90%. Double Prorate t if 85% - 90%. Rejection if < 85%
7.	Flute Status.	Type B No. Min. 50-56/30cm.	100% 5%	Rejection if do not conform. Prorate Cut.
8.	Lap Width.	Min. 30mm.	10%	Prorate Cut.
9.	No.of staples.	6 (3 pairs).	10%	Prorate Cut.
10.	Flap Bend Test.	The Flap of the carton should not crack when bent through 90° inside and then out side.	5%	Prorate Cut.
11.	Adhesive.	Sodium Silicate (Highly Alkaline) adhesive not to be used.	100%	Rejection if do not conform.
12.	Bottom.	Cartons should be bottom stitched.	100%	Rejection if do not conform.

ANNEXURE-VI1

MARKFED CANNERIES, VILLAGE CHUHARWALI DISTT. JALANDHAR

Specifications For Sarson Ka Sag/Spinach Puree/Ethenic Food Cartons (850Gm).

Sr. No.	Parameter.	Specifications.	Contribution	Quality Cut
1.	Ply.	5 Ply cartons duly Printed in two colours.	100%	Rejection if do not conform.
2.	Dimensions.	415X315X130mm internal± 5mm for individual dimension.	100%	Rejection if do not conform.
3.	Partition.	5 Ply to accommodate 12cans of A-2½ Tall cans of 850gm. The size should be matching with internal dimensions.	100%	Rejection if do not conform.
4.	Plates.	2(5 Ply) Top & Bottom.Size suitable to cover the gap.	100%	Rejection if do not conform.
5.	Bursting Strength.	Min.10Kg/Cm ² .	50%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
6.	Box compression Strength.	Min.250Kg.	20%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
7.	Flute Status.	Type B No. Min. 50-56/30cm.	100% 5%	Rejection if do not conform. Prorate Cut.
8.	Lap Width.	Min. 30mm.	10%	Prorate Cut.
9.	No.of staples.	6 (3 pairs).	10%	Prorate Cut.
10.	Flap Bend Test.	The Flap of the carton should not crack when bent through 90° inside and then out side.	5%	Prorate Cut.
11.	Adhesive.	Sodium Silicate (Highly Alkaline) adhesive not to be used.	100%	Rejection if do not conform.
12.	Bottom.	Cartons should be bottom stitched.	100%	Rejection if do not conform.

ANNEXURE-VI11

MARKFED CANNERIES, VILLAGE CHUHARWALI DISTT. JALANDHAR

SPECIFICATIONS For Jam/Honey/Chuttney (PET BOTTLES 250GM) Cartons.

Sr. No.	Parameter.	Specifications.	Contribution	Quality Cut
1.	Ply.	5 Ply cartons duly Printed in Single colour.	100%	Rejection if do not conform.
2.	Dimensions.	255X190X115mm internal± 5mm for individual dimension.	100%	Rejection if do not conform.
3.	Partition.	3 Ply to accommodate 12Bottles of Jam and matching with internal dimensions of Carton.	100%	Rejection if do not conform.
4.	Plates.	2(3 Ply) Top & Bottom..	100%	Rejection if do not conform.
5.	Bursting Strength.	Min.8Kg/Cm ² .	50%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
6.	Box compression Strength.	Min.150Kg.	20%	Prorate cut if ≥ 90%. Double Prorate t if 85% - 90%. Rejection if < 85%
7.	Flute Status.	Type B No. Min. 50-56/30cm.	100% 5%	Rejection if do not conform. Prorate Cut.
8.	Lap Width.	Min. 30mm.	10%	Prorate Cut.
9.	No.of staples.	6 (3 pairs).	10%	Prorate Cut.
10.	Flap Bend Test.	The Flap of the carton should not crack when bent through 90° inside and then out side.	5%	Prorate Cut.
11.	Adhesive.	Sodium Silicate (Highly Alkaline) adhesive not to be used.	100%	Rejection if do not conform.
12.	Bottom.	Cartons should be bottom stitched.	100%	Rejection if do not conform.

ANNEXURE-1X

MARKFED CANNERIES, VILLAGE CHUHARWALI DISTT. JALANDHAR

Specifications For Drinks (200ML).

Sr. No.	Parameter.	Specifications.	Contribution	Quality Cut
1.	Ply.	5 Ply cartons duly Printed in Single colour.	100%	Rejection if do not conform.
2.	Dimensions.	334X224X158mm internal± 5mm for individual dimension.	100%	Rejection if do not conform.
3.	Partition.	3 Ply to accommodate 24Bottles of Drinks 200ML and the size should be matching with internal dimensions.	100%	Rejection if do not conform.
4.	Plates.	2(3 Ply) Top & Bottom.	100%	Rejection if do not conform.
5.	Bursting Strength.	Min.8Kg/Cm ² .	50%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
6.	Box compression Strength.	Min.150Kg.	20%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
7.	Flute Status.	Type B No. Min. 50-56/30cm.	100% 5%	Rejection if do not conform. Prorate Cut.
8.	Lap Width.	Min. 30mm.	10%	Prorate Cut.
9.	No.of staples.	6 (3 pairs).	10%	Prorate Cut.
10.	Flap Bend Test.	The Flap of the carton should not crack when bent through 90° inside and then out side.	5%	Prorate Cut.
11.	Adhesive.	Sodium Silicate (Highly Alkaline) adhesive not to be used.	100%	Rejection if do not conform.
12.	Bottom.	Cartons should be bottom stitched.	100%	Rejection if do not conform.

ANNEXURE-X

MARKFED CANNERIES, VILLAGE CHUHARWALI DISTT. JALANDHAR

Specifications For Gur/Shakkar 900gm/1kg Cartons.

Sr. No.	Parameter.	Specifications.	Contribution	Quality Cut
1.	Ply.	5 Ply cartons duly Printed in Single colour.	100%	Rejection if do not conform.
2.	Dimensions.	390X330X213mm internal \pm 5mm for individual dimension.	100%	Rejection if do not conform.
3.	Partitions.	3 Ply to accommodate 12 Plastic Jars of Gur/Shakkar 900gm/1kg and the size should be matching with internal dimensions.	100%	Rejection if do not conform.
4.	Plates.	2(3 Ply) Top & Bottom.	100%	Rejection if do not conform.
5.	Bursting Strength.	Min. 10Kg/Cm ² .	50%	Prorate cut if \geq 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
6.	Box compression Strength.	Min. 250Kg.	20%	Prorate cut if \geq 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
7.	Flute Status.	Type B No. Min. 50-56/30cm.	100% 5%	Rejection if do not conform. Prorate Cut.
8.	Lap Width.	Min. 30mm.	10%	Prorate Cut.
9.	No. of staples.	8 (4 pairs).	10%	Prorate Cut.
10.	Flap Bend Test.	The Flap of the carton should not crack when bent through 90° inside and then out side.	5%	Prorate Cut.
11.	Adhesive.	Sodium Silicate (Highly Alkaline) adhesive not to be used.	100%	Rejection if do not conform.
12.	Bottom.	Cartons should be bottom stitched.	100%	Rejection if do not conform.

ANNEXURE-X1

MARKFED CANNERIES, VILLAGE CHUHARWALI DISTT. JALANDHAR

Specifications For Celebration Gift Packs for packing of 3 items.

Sr. No.	Parameter.	Specifications.	Contribution	Quality Cut
1.	Ply.	3 Ply celebration Gift Packs duly Printed in four colours with decorative design to be given by Markfed. to accommodate 3 cans of 450gm. Or To accommodate 2 cans of 450gm and 1 Bottle of Jam matching with international dimension of the carton.	100%	Rejection if do not conform.
2.	Dimensions.	340X112X150 mm internal± 5mm for individual dimension.	100%	Rejection if do not conform.
3.	Bursting Strength.	Min.7Kg/Cm ² .	50%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%

ANNEXURE-XII

MARKFED CANNERIES, VILLAGE CHUHARWALI DISTT. JALANDHAR

SPECIFICATIONS For Jam/Honey/Chuttney (PET BOTTLES 500GM) Cartons.

Sr. No.	Parameter.	Specifications.	Contribution	Quality Cut
1.	Ply.	5 Ply cartons duly Printed in Single colour.	100%	Rejection if do not conform.
2.	Dimensions.	290X235X142mm internal± 5mm for individual dimension.	100%	Rejection if do not conform.
3.	Partition.	3 Ply to accommodate 12Bottles of Jam and matching with internal dimensions of Carton.	100%	Rejection if do not conform.
4.	Plates.	2(3 Ply) Top & Bottom..	100%	Rejection if do not conform.
5.	Bursting Strength.	Min.8Kg/Cm ² .	50%	Prorate cut if ≥ 90%. Double Prorate cut if 85% - 90%. Rejection if < 85%
6.	Box compression Strength.	Min.150Kg.	20%	Prorate cut if ≥ 90%. Double Prorate t if 85% - 90%. Rejection if < 85%
7.	Flute Status.	Type B No. Min. 50-56/30cm.	100% 5%	Rejection if do not conform. Prorate Cut.
8.	Lap Width.	Min. 30mm.	10%	Prorate Cut.
9.	No.of staples.	6 (3 pairs).	10%	Prorate Cut.
10.	Flap Bend Test.	The Flap of the carton should not crack when bent through 90° inside and then out side.	5%	Prorate Cut.
11.	Adhesive.	Sodium Silicate (Highly Alkaline) adhesive not to be used.	100%	Rejection if do not conform.
12.	Bottom.	Cartons should be bottom stitched.	100%	Rejection if do not conform.

